

**Blueberry Blast\*\***

**FL Certificate of Analysis**

|                   |                             |                                 |                               |                     |  |
|-------------------|-----------------------------|---------------------------------|-------------------------------|---------------------|--|
| <b>Sample ID:</b> | HR20260191188-V2**          | <b>Client and Manufacturer:</b> | KCM Enterprises Florida LLC** | <b>Address:</b>     | 1762 NE 205th Terrace<br>Miami, FL 33179 |
| <b>Type:</b>      | Enhanced/Infused<br>Preroll | <b>Received:</b>                | 1/28/2026                     | <b>Batch:</b>       | 812002                                   |
|                   |                             | <b>Completed:</b>               | 2/10/2026                     | <b>Food Permit:</b> | 425938                                   |

\*\* Updated the sample name and client name.

| Summary | Test                  | Result* |
|---------|-----------------------|---------|
|         | Batch                 | Pass    |
|         | Foreign Material      | Pass    |
|         | Cannabinoids          | Pass    |
|         | Pesticides            | Pass    |
|         | Microbials            | Pass    |
|         | Mycotoxins            | Pass    |
|         | Heavy Metals          | Pass    |
|         | Residual Solvents     | Pass    |
|         | Prohibited Substances | Pass    |

\*All analytes in a given category must pass for a pass result in the summary.

**Cannabinoids**

| Analyte   | LOD (% total) | LOQ (% total) | Limit (% total) | Result (% total) | Result (mg/g) |
|-----------|---------------|---------------|-----------------|------------------|---------------|
| Δ9-THC    | 0.02000       | 0.04500       | 0.30 (Federal)  | 0.29             | 2.9           |
| Δ9-THC-A  | 0.01500       | 0.06100       |                 | ND               | ND            |
| CBD       | 0.01500       | 0.04500       |                 | ND               | ND            |
| CBD-A     | 0.01000       | 0.03100       |                 | ND               | ND            |
| CBG       | 0.01300       | 0.03900       |                 | 0.43             | 4.3           |
| CBG-A     | 0.02900       | 0.08800       |                 | 5.62             | 56.2          |
| CBN       | 0.01600       | 0.05000       |                 | 0.41             | 4.1           |
| Δ8-THC    | 0.01400       | 0.04200       |                 | 20.74            | 207.4         |
| Exo-THC   | 0.00330       | 0.01000       |                 | ND               | ND            |
| Δ10-THC   | 0.00330       | 0.01000       |                 | ND               | ND            |
| THC-O     | 0.00330       | 0.01000       |                 | ND               | ND            |
| THC-P     | 0.03600       | 0.06100       |                 | ND               | ND            |
| HHC       | 0.00330       | 0.01000       |                 | ND               | ND            |
| Total CBD |               |               |                 | 0.00             | 0.0           |
| Total THC |               |               | 0.30 (State)    | 0.29             | 2.9           |

Determination of Cannabinoids by HPLC, HL223. Total CBD = CBDa \* 0.877 + CBD. Total THC = Δ9-THCa \* 0.877 + Δ9-THC. Total THC Measurement Uncertainty (MU): ± 0.068%. Federal limit ≤ 0.3% Δ9-THC. State limit ≤ 0.3% Total THC + MU. Reported dry weight % cannabinoid (for plant samples) = (wet weight % cannabinoid)/(1 - % moisture). The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (4)(e) and 7 U.S.C. Sec. 1639o (1).

**Prohibited Substances**

| Analyte           | Limit (ppb) | Result (ppb) | Status |
|-------------------|-------------|--------------|--------|
| Vitamin E Acetate | 0           | ND           | Pass   |
| 2,3-butanedione   | 0           | ND           | Pass   |

Tested by GC, HL242. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (5)(d).

**Blueberry Blast\*\***

**FL Certificate of Analysis**

|                   |                          |                                 |                               |                     |  |
|-------------------|--------------------------|---------------------------------|-------------------------------|---------------------|--|
| <b>Sample ID:</b> | HR20260191188-V2**       | <b>Client and Manufacturer:</b> | KCM Enterprises Florida LLC** | <b>Address:</b>     | 1762 NE 205th Terrace<br>Miami, FL 33179 |
| <b>Type:</b>      | Enhanced/Infused Preroll | <b>Received:</b>                | 1/28/2026                     | <b>Batch:</b>       | 812002                                   |
|                   |                          | <b>Completed:</b>               | 2/10/2026                     | <b>Food Permit:</b> | 425938                                   |

\*\* Updated the sample name and client name.

**Pesticides**

| Analyte              | LOD   | LOQ   | Limit | Result | Status | Analyte                 | LOD   | LOQ   | Limit | Result | Status |
|----------------------|-------|-------|-------|--------|--------|-------------------------|-------|-------|-------|--------|--------|
|                      | (ppb) | (ppb) | (ppb) | (ppb)  |        |                         | (ppb) | (ppb) | (ppb) | (ppb)  |        |
| Abamectin            | 20    | 70    | 100   | ND     | Pass   | Fludioxonil             | 20    | 70    | 100   | ND     | Pass   |
| Acephate             | 20    | 70    | 100   | ND     | Pass   | Hexythiazox             | 30    | 90    | 100   | ND     | Pass   |
| Acequinocyl          | 30    | 80    | 100   | ND     | Pass   | Imazalil                | 30    | 90    | 100   | ND     | Pass   |
| Acetamiprid          | 20    | 70    | 100   | ND     | Pass   | Imidacloprid            | 30    | 100   | 400   | ND     | Pass   |
| Aldicarb             | 30    | 80    | 100   | ND     | Pass   | Kresoxim Methyl         | 20    | 50    | 100   | ND     | Pass   |
| Azoxystrobin         | 20    | 60    | 100   | ND     | Pass   | Malathion               | 20    | 50    | 200   | ND     | Pass   |
| Bifenazate           | 20    | 70    | 100   | ND     | Pass   | Metalaxyl               | 30    | 100   | 100   | ND     | Pass   |
| Bifenthrin           | 40    | 110   | 100   | ND     | Pass   | Methiocarb              | 20    | 60    | 100   | ND     | Pass   |
| Boscalid             | 20    | 70    | 100   | ND     | Pass   | Methomyl                | 20    | 70    | 100   | ND     | Pass   |
| Captan               | 60    | 190   | 700   | ND     | Pass   | Mevinphos               | 30    | 80    | 100   | ND     | Pass   |
| Carbaryl             | 30    | 80    | 500   | ND     | Pass   | Myclobutanil*           | 20    | 60    | 60    | ND     | Pass   |
| Carbofuran           | 30    | 90    | 100   | ND     | Pass   | Naled                   | 10    | 30    | 250   | ND     | Pass   |
| Chlorantraniliprole  | 20    | 60    | 1000  | ND     | Pass   | Oxamyl                  | 30    | 90    | 500   | ND     | Pass   |
| Chlordane            | 30    | 80    | 100   | ND     | Pass   | Paclobutrazol           | 30    | 90    | 100   | ND     | Pass   |
| Chlorfenapyr         | 20    | 70    | 100   | ND     | Pass   | Parathion Methyl        | 20    | 70    | 100   | ND     | Pass   |
| Chlormequat Chloride | 10    | 30    | 1000  | ND     | Pass   | Pentachloronitrobenzene | 20    | 50    | 150   | ND     | Pass   |
| Chlorpyrifos         | 10    | 40    | 100   | ND     | Pass   | Permethrin              | 20    | 70    | 100   | ND     | Pass   |
| Clofentezine         | 30    | 90    | 200   | ND     | Pass   | Phosmet (Imidan)        | 30    | 90    | 100   | ND     | Pass   |
| Coumaphos            | 20    | 70    | 100   | ND     | Pass   | Piperonyl Butoxide      | 30    | 80    | 3000  | ND     | Pass   |
| Cyfluthrin           | 20    | 70    | 500   | ND     | Pass   | Prallethrin             | 30    | 80    | 100   | ND     | Pass   |
| Cypermethrin         | 20    | 60    | 500   | ND     | Pass   | Propiconazole           | 30    | 90    | 100   | ND     | Pass   |
| Daminozide           | 20    | 70    | 100   | ND     | Pass   | Propoxur                | 30    | 80    | 100   | ND     | Pass   |
| Diazinon             | 10    | 30    | 100   | ND     | Pass   | Pyrethrins              | 10    | 40    | 500   | ND     | Pass   |
| Dichlorvos           | 30    | 80    | 100   | ND     | Pass   | Pyridaben               | 30    | 90    | 200   | ND     | Pass   |
| Dimethoate           | 20    | 50    | 100   | ND     | Pass   | Spinosad                | 30    | 80    | 200   | ND     | Pass   |
| Dimethomorph         | 30    | 80    | 200   | ND     | Pass   | Spinetoram              | 20    | 70    | 100   | ND     | Pass   |
| Ethoprophos          | 30    | 80    | 100   | ND     | Pass   | Spiromesifen            | 30    | 90    | 100   | ND     | Pass   |
| Etofenprox           | 20    | 60    | 100   | ND     | Pass   | Spirotetramat           | 20    | 70    | 100   | ND     | Pass   |
| Etoxazole            | 20    | 70    | 100   | ND     | Pass   | Spiroxamine             | 30    | 80    | 100   | ND     | Pass   |
| Fenhexamid           | 30    | 90    | 100   | ND     | Pass   | Tebuconazole            | 30    | 80    | 100   | ND     | Pass   |
| Fenoxycarb           | 20    | 70    | 100   | ND     | Pass   | Thiacloprid             | 20    | 60    | 100   | ND     | Pass   |
| Fenpyroximate        | 30    | 80    | 100   | ND     | Pass   | Thiamethoxam            | 30    | 80    | 500   | ND     | Pass   |
| Fipronil             | 30    | 80    | 100   | ND     | Pass   | Trifloxystrobin         | 30    | 100   | 100   | ND     | Pass   |
| Fonicamid            | 20    | 70    | 100   | ND     | Pass   |                         |       |       |       |        |        |

We analyze samples by AOAC Official Method 2007.01-Modified; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (5)(b). \*Myclobutanil is prohibited in any amount in hemp extract intended for inhalation.

## Blueberry Blast\*\*

## FL Certificate of Analysis

|                   |                          |                                 |                               |                     |  |
|-------------------|--------------------------|---------------------------------|-------------------------------|---------------------|--|
| <b>Sample ID:</b> | HR20260191188-V2**       | <b>Client and Manufacturer:</b> | KCM Enterprises Florida LLC** | <b>Address:</b>     | 1762 NE 205th Terrace<br>Miami, FL 33179 |
| <b>Type:</b>      | Enhanced/Infused Preroll | <b>Received:</b>                | 1/28/2026                     | <b>Batch:</b>       | 812002                                   |
|                   |                          | <b>Completed:</b>               | 2/10/2026                     | <b>Food Permit:</b> | 425938                                   |

\*\* Updated the sample name and client name.

### Microbials

| Analyte                                     | Limit (cfu/g) | Result (cfu/g) | Status |
|---|---------------|----------------|--------|
| <i>Aspergillus flavus</i>                   | 1             | ND             | Pass   |
| <i>Aspergillus fumigatus</i>                | 1             | ND             | Pass   |
| <i>Aspergillus niger</i>                    | 1             | ND             | Pass   |
| <i>Aspergillus terreus</i>                  | 1             | ND             | Pass   |
| Shiga Toxin-producing <i>E. coli</i> (STEC) | 1             | ND             | Pass   |
| Salmonella spp.                             | 1             | ND             | Pass   |
| Bile-tolerant gram negative bacteria        | 1,000         | 10             | Pass   |
| APC   | 100,000       | 1000           | Pass   |
| Yeast and mold                              | 100,000       | 10             | Pass   |

Aerobic Bacteria (Aerobic Plate Count): FDA BAM Jan 2001, Chapter 3. *E. coli* Plate Count: FDA BAM Jan 2001, Chapter 4. Yeast and Mold Plate Count: AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. STEC: SOP HL 316. *Aspergillus* sp.: SOP HL311.2 (modified) & SOP HL 317. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (5)(e) & (5)(g).

### Mycotoxins

| Analyte         | LOD (ppb) | LOQ (ppb) | Limit (ppb) | Result (ppb) | Status |
|-----------------|-----------|-----------|-------------|--------------|--------|
| Aflatoxin B1    | 1.1       | 3.4       |             | ND           |        |
| Aflatoxin B2    | 1.3       | 4.0       |             | ND           |        |
| Aflatoxin G1    | 2.8       | 8.4       |             | ND           |        |
| Aflatoxin G2    | 1.4       | 4.2       |             | ND           |        |
| Total Aflatoxin |           |           | 20          |              | Pass   |
| Ochratoxin A    | 2.8       | 8.4       | 20          | ND           | Pass   |

SOP HL 240. Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (5)(f).

### Heavy Metals

| Analyte | LOD (ppb) | LOQ (ppb) | Limit (ppb) | Result (ppb) | Status |
|---------|-----------|-----------|-------------|--------------|--------|
| Arsenic | 59        | 179       | 1500        | ND           | Pass   |
| Cadmium | 5         | 14        | 500         | ND           | Pass   |
| Lead    | 55        | 168       | 500         | ND           | Pass   |
| Mercury | 5         | 17        | 3000        | ND           | Pass   |

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (5)(d).

### Water Activity

| Analyte        | Result (aw) | Status |
|----------------|-------------|--------|
| Water Activity | 0.58        | Tested |

Water Activity Meter WA-60A SOP HL 238. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (4)(i) (when applicable).

**Blueberry Blast\*\***

**FL Certificate of Analysis**

|                   |                          |                                 |                               |                     |  |
|-------------------|--------------------------|---------------------------------|-------------------------------|---------------------|--|
| <b>Sample ID:</b> | HR20260191188-V2**       | <b>Client and Manufacturer:</b> | KCM Enterprises Florida LLC** | <b>Address:</b>     | 1762 NE 205th Terrace<br>Miami, FL 33179 |
| <b>Type:</b>      | Enhanced/Infused Preroll | <b>Received:</b>                | 1/28/2026                     | <b>Batch:</b>       | 812002                                   |
|                   |                          | <b>Completed:</b>               | 2/10/2026                     | <b>Food Permit:</b> | 425938                                   |

\*\* Updated the sample name and client name.

**Foreign Material**

| Analyte                                   | Limit | Result | Status |
|---|-------|--------|--------|
| Filth, hair, insects, metal/plastic, etc. | 0     | ND     | Pass   |

Foreign Material: UV light/Microscope SOP HL 324. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034.

**Solvents**

| Analyte             | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Result (ppm) | Status |
|---------------------|-----------|-----------|-------------|--------------|--------|
| 1,2-Dichloro-Ethane | 150       | 450       | 2           | ND           | Pass   |
| 1,1-Dichloroethene  | 1340      | 3740      | 8           | ND           | Pass   |
| Acetone             | 1620      | 4920      | 8           | <LOQ         | Pass   |
| Acetonitrile        | 2140      | 6500      | 60          | ND           | Pass   |
| Benzene             | 170       | 510       | 1           | ND           | Pass   |
| Butane              | 10120     | 30680     | 5,000       | ND           | Pass   |
| Chloroform          | 200       | 600       | 2           | ND           | Pass   |
| Ethanol             | 2730      | 8270      | 5,000       | ND           | Pass   |
| Ethyl-Acetate       | 1270      | 3860      | 400         | ND           | Pass   |
| Ethyl-Ether         | 2880      | 8720      | 500         | ND           | Pass   |
| Ethylene Oxide      | 130       | 390       | 5           | ND           | Pass   |
| Heptane             | 1730      | 5250      | 5,000       | ND           | Pass   |
| Isopropanol         | 2030      | 6140      | 500         | ND           | Pass   |
| Methanol            | 2260      | 6860      | 250         | ND           | Pass   |
| Methylene-Chloride  | 310       | 940       | 125         | ND           | Pass   |
| n-Hexane            | 3460      | 10500     | 250         | ND           | Pass   |
| Pentane             | 7880      | 23880     | 750         | ND           | Pass   |
| Propane             | 7470      | 22620     | 5,000       | ND           | Pass   |
| Toluene             | 1370      | 4160      | 150         | ND           | Pass   |
| Trichloroethene     | 140       | 440       | 25          | ND           | Pass   |
| Xylenes             | 2860      | 8680      | 150         | ND           | Pass   |

ND = Not Detected; SOP HL231. Headspace GC-FID. Pass/Fail decision determined by Fla. Admin. Code Ann. 5K-4034 (5)(c).



Ming Li - General Manager

2/10/2026

ISO 17025 accredited by AZLA (Certificate No: 4074.01 & 4074.02). ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; LOQ = Limit of Quantitation. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state and federal law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate contains a simplified report and does not include all measurement uncertainty values, which are available at any time upon customer request. The scope of this analysis is limited to the parameters listed in this report. Testing for food additives (eg. preservatives, colorings, flavor enhancers) was not performed. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.